

GOVERNMENT OF AHDHRA PRADESH
ABSTRACT

PUBLIC SERVICES–Water Resources Department–Vigilance and Enforcement-Disciplinary Proceedings initiated against Sri D.Appala Raju, Assistant Engineer for the irregularities on the Raising of Flood Banks to 1986 standards pertaining to Gowthami Right Bank (GRB) in East Godavari Dist – Finalization of disciplinary proceedings by imposing a penalty of withholding of 1 (one) Annual Grade Increment with cumulative effect under Rule 9 of APCS(CC&A)Rules, 1991– Orders – Issued.

WATER RESOURCES (Vig.II-V&E.2) DEPARTMENT

G.O.RT.No. 572

Dated: 10-08-2018

Read the following:-

1	From the GA(V&E) Department, Appraisal Report No. 110 (146/V&E/E1/2008), dated:20.10.2011.
2	G.O.Rt.No.566, I&CAD (Ser.VII(V&E.2)) Department, dated 14.05.2012.
3	From Sri D.Appala Raju, Assistant Engineer, written statement of defence, dated 29.09.2012
4	G.O.Rt.No.504, I & CAD (Vig.II(V&E-2)Dept, dated: 02.09.2014.
5	Govt. Memo.No.28215/Vig.II (V&E-2)/2011, Dated 02.09.2014.
6	From Sri K. Sahadeva Reddy, Member, COI,GAD in his D.O.LrNo.136/COI/KSR/ 2014,dated:02.08.2016.
7	Govt. Memo.No.28215/Vig.II(V&E-2)/2011-24, Dated: 30.07.2017
8	From Sri D.Appala Raju, Assistant Engineer, Explanation, dated:09.10.2017
9	Govt. Letter No. 28215/Vig.II(V&E-2)/2011-33, Dated: 08.07.2018
10	From the Secretary, APPSC, Letter No.424/ DC&C /2018, dated:23.07.2018

<<>>

In the reference 1st read above, the General Administration (V&E) Department have furnished their Vigilance Appraisal Report on the Verification of works taken up by the Water Resources Department and Raising of Flood Banks to 1986 standards pertaining to Gowthami Right Bank (GRB) in East Godavari District.

2. In the reference 2nd read above, article of charge was issued to Sri D.Appala Raju, Assistant Engineer and in the reference 3rd read above, he has submitted his written statement of defence.

3. In the reference 4th read above, Sri K. Sahadeva Reddy, Commission of Inquiries, General Administration (COI) Department was appointed as Inquiring Authority to conduct inquiry into the charge framed against Sri D.Appala Raju, Assistant Engineer and furnish inquiry report and in the reference 5th read above, the Superintending Engineer, Irrigation Circle, Dowlaiswaram was appointed as Presenting Officer.

4. In the reference 6th read above, Sri K. Sahadeva Reddy, Commission of Inquiries, General Administration (COI) Department and Inquiring Authority has furnished the inquiry report stating that the single charge framed against the charged officer is held proved.

5. In the reference 7th read above, while communicating a copy of the inquiry report, Sri D.Appala Raju, Assistant Engineer was directed to submit his Explanation on the findings of the Inquiring Authority.

(p.t.o.)

..2..

6. In the reference 8th read above, Sri D.Appala Raju, Assistant Engineer has submitted his Explanation on the findings of the Inquiring Authority and requested to exonerate from the article of charge without further action against him. After careful examination of the matter and material made available, it has been provisionally decided to impose punishment of withholding of 1 (one) Annual Grade Increment with cumulative effect under Rule 9 of APCS(CC&A)Rules, 1991.

7. Government, after careful examination of the entire issue have decided to confirm the provisional decision i.e. a penalty of withholding of 1 (one) Annual Grade Increment with cumulative effect against Sri D.Appala Raju, Assistant Engineer, under Rule 9 of APCS (CC&A) Rules, 1991 for the irregularities on the Raising of Flood Banks to 1986 standards pertaining to Gowthami Right Bank (GRB) in East Godavari Dist.

8. In the reference 9th read above, the Secretary, Andhra Pradesh Public Service Commission, Vijayawada has been requested to place the proposal of the Department i.e. to impose a penalty of withholding of 1 (one) Annual Grade Increment with cumulative effect under Rule 9 of APCS (CC&A)Rules, 1991 against Sri D.Appala Raju, Assistant Engineer before the Commission and communicate their concurrence.

9. In the reference 10th read above, the Secretary, Andhra Pradesh Public Service Commission, Vijayawada has informed that the Commission have agreed with the proposal of the department to impose the a penalty of withholding of 1 (one) Annual Grade Increment with cumulative effect under Rule 9 of APCS (CC&A)Rules, 1991 against Sri D.Appala Raju, Assistant Engineer.

10. Government, after careful examination of the entire issue, hereby impose a penalty of withholding of 1(one) Annual Grade Increment with cumulative effect against Sri D.Appala Raju, Assistant Engineer under Rule 9 of APCS (CC&A)Rules, 1991 for the irregularities on the Raising of Flood Banks to 1986 standards pertaining to Gowthami Right Bank (GRB) in East Godavari Dist.

11. The Engineer-in-Chief (Admn.Wing), Water Resources Department, Vijayawada shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
SECRETARY TO GOVERNMENT

To

Sri D.Appala Raju, Assistant Engineer **through** the Engineer-in-Chief(AW), Water Resources Department, Vijayawada.

The Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

Copy to:

The Accountant General, Andhra Pradesh, Hyderabad.

The Secretary, Andhra Pradesh Public Service Commission, New Government Offices Building 2nd Floor, M.G. Road(Bandhar Road), Opp: Indira Gandhi Municipal Complex, Vijayawada-520 010. Andhra Pradesh.

The Secretary, AP Vigilance Commission, AP Secretariat, Velagapudi, Amaaravati.

The Director General and Ex-Officio Principal Secretary to Government, the General Administration (Vigilance & Enforcement) Department, 2nd Floor, Dr.NTR Administrative Block, P.N.Bus Station, Vijayawada-520002, Krishna District.

SF / SC.

//FORWARDED::BY ORDER//

SECTION OFFICER